



# TYPE APPROVAL CERTIFICATE

Certificate No:  
**TAA00001JS**  
Revision No:  
**3**

## This is to certify:

**That the Pressure Transmitter**

with type designation(s)  
**JUMO MIDAS S07 MA (Type 401021)**

Issued to  
**JUMO GmbH & Co. KG**  
**Fulda, Hessen, Germany**

is found to comply with  
**DNV rules for classification – Ships, offshore units, and high speed and light craft**

## Application :

**Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV.**

|                    |                                     |
|--------------------|-------------------------------------|
| <b>Temperature</b> | <b>B</b>                            |
| <b>Humidity</b>    | <b>B</b>                            |
| <b>Vibration</b>   | <b>A</b>                            |
| <b>EMC</b>         | <b>A</b>                            |
| <b>Enclosure</b>   | <b>A/B* see Product Description</b> |

Issued at **Hamburg** on **2021-12-09**

for **DNV**

This Certificate is valid until **2026-11-24**.

DNV local station: **Augsburg**

Approval Engineer: **Jens Dietrich**

.....  
**Joannis Papanuskas**  
**Head of Section**

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



## Product description

The MIDAS S07 MA pressure transmitter is used for measuring pressure in gases and liquids.

Output signal / Voltage supply: 4 ... 20mA, 2-wire / 10 ... 25V DC

0 ... 10V DC, 3-wire / 15 ... 25V DC

1 ... 5V DC, 3-wire / 10 ... 25V DC

1 ... 6V DC, 3-wire / 10 ... 25V DC

Measuring range: -1 ... 100bar relative pressure, and also up to 0 ... 25bar absolute pressure

Accuracy (20°C): 1% MSP

Process connection material: CrNi (stainless steel)

Electrical connection / \*Protection type:

Attached cable / IP66

Plug M12x1 / IP66

Plug connector / IP30

Cable socket / IP65

## Application/Limitation

The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV RU SHIP Pt. 4 Ch. 9 Sec. 1.

## Type Approval documentation

Test reports: Paconsult no. 12-4391 rev. 1 (12.07.12),

Meßtechnik Nord no. 06851.103.12 V1.0 (17.07.12),

JUMO no. K/E 40.0572 (29.02.12), K/E 40.0600 (02.04.12, 20.09.12, 21.09.12),

K/E 40.0680 (24.09.12, 06.11.12);

Test reports JUMO according to "Document overview test protocols for GL Type approval Midas S07 401021", version 02 (02.11.15);

Data sheet 40102100T10Z001K000, V3.00;

Installation Instructions 40102100T94Z000K000, V4.00;

Document overview for GL Approval, Vers.03, dated 2021-09-22;

Additional documents filed in 262.1-025660, Techdoc. No.3;

Additional Test Report JUMO EW-4169.61000-4-3.Midas S07.1.0, dated 2021-09-20;

Type Approval Assessment Report issued by DNV Hamburg 2021-06-16.

## Tests carried out

Applicable Tests according to Class Guideline DNV CG-0339, August 2021

## Marking of product

Maker, type, serial-number

## Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of this certificate.

END OF CERTIFICATE