

GENERAL SPECIFICATION

- Head
Material : Aluminum alloy(Standard)
Option : ☐ 304SS ☐ 316SS
Surface color : Metallic silver
Construction : Weatherproof
 - Terminal block material : Ceramic
 - Insulation material for lead wires
☐ PVC ☐ Teflon
☐ Non-asbestos ☐ Outer shield
☐ Other _____
 - Jacket material for flexible tubing
☐ Shrink tube ☐ PVC coating
☐ None
- * Pad Size : 30 x 20 x 0.16
* Pad material : ☐ 316L SS ☐ Inconel600
* Make spot-welding 30 points or more.

ORDERING INFORMATION


- Model : R99 ☐ 1 (Single, 2-Wire) ☐ 2 (Double, 4-Wire)
- Head Type : General (Weatherproof)
& Tip shape : ☐ C : Ungrounded ☐ D : Grounded
- Element(Tolerance)
* Grade : Standard 0.75 / 0.5("E", "B")
☐ K : K ☐ J : J ☐ T : T ☐ E : E ☐ N : N ☐ B : B
* Grade : Special 0.4
☐ 1 : K ☐ 2 : J ☐ 3 : T ☐ 4 : E ☐ 5 : N
☐ Z : Other _____
- Sheath material
☐ 2 : Inconel600 ☐ 3 : 310SS
☐ 4 : 446SS ☐ 5 : 347SS ☐ 6 : 321SS
☐ 7 : 316L SS ☐ 9 : Other _____
- Sheath outer diameter(ϕ D)
☐ D : 3.2 ☐ E : 4.8 ☐ Z : Other _____
(If you need other sheath outer diameter, please contact the head office.)
- Welded pad type : Sheet metal type
- Conduit connection ☐ With adaptor ☐ None
☐ 1 : PF 1/2" ☐ 2 : PT 1/2" ☐ 3 : NPT 1/2"
☐ 4 : PF 3/4" ☐ 5 : PT 3/4" ☐ 6 : NPT 3/4"
☐ 8 : M20x1.5P ☐ 9 : Other _____
- * Conduit adaptor material :
☐ Brass+Ni.plating ☐ 304SS
(Only 'PT' Thread)
- 8,9. Mounting & Connection type
☐ AAA : None
10. Insert length "L" : _____ (mm)
11. Lead wire length "A" : _____ (mm)

The Colors of each wires can be replaced with the ones of the user's choice.
*Use PVC standard colors

Element type		<input type="checkbox"/> EN(IEC)		<input type="checkbox"/> ANSI		<input type="checkbox"/> JIS(KS)	
		+	-	+	-	+	-
IN-2S	(+)	K Green	White	Yellow	Red	Red	White
	(-)	E Purple	White	Purple	Red	Red	White
IN-2C	(+)	J Black	White	White	Red	Red	White
	(-)	T Brown	White	Blue	Red	Red	White
	(+)	B Gray	White	Gray	Red	Red	White
	(-)	S,R Orange	White	Black	Red	Red	White

This drawing and the specifications are the intellectual property of WISE CONTROL INC. Therefore, without a prior written consent from WISE CONTROL INC., it is strictly prohibited to reproduce the drawing or manufacture the identical products according to its specifications provided here.

THIRD ANGLE PROJECTION



WISE[®]
WISE Control Inc.

2					
1					
NO	REASON	DATE	PREPARED BY	REVIEWED BY	APPROVED BY

REVISION

LENGTH (UNIT:mm)		
Parts	Nominal Length	Tolerance
Metal Sheathed R.T.D & T.C R.T.D units	Below 250	±3
	250 & Above, Below 1000	±5
	1000 & Above	±10
Extension Lead wires	Below 1000	±10
	1000 & Above	±10

SIGNATURE		DATE	DRAWING TITLE : Sheet metal pad type thermocouple	
PREPARED BY	S.M.JUNG	23.05.25		
REVIEWED BY	H.J.KIM	23.05.25	MODEL : R990	
APPROVED BY	H.J.KIM	23.05.25	PROJECT : -	
REV. NO.			DWG NO. : R990C-NN-01	
			SCALE : N/S	W.T. SHEET OF