



TYPE APPROVAL CERTIFICATE

Certificate no.:
TAA000017J
Revision No:
3

This is to certify:
that the Peripheral Equipment

with type designation(s)
JUMO safetyM STB/STW

issued to
JUMO GmbH & Co. KG
Fulda, Hessen, Germany

is found to comply with
DNV rules for classification – Ships, offshore units, and high speed and light craft

Application:

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV.

Location classes:

Temperature	B
Humidity	B
Vibration	A
EMC	B
Enclosure	A

Issued at **Hamburg** on **2025-07-18**

This Certificate is valid until **2027-05-26**.

DNV local unit: **Augsburg**

Approval Engineer: **Holger Jansen**



for **DNV**

Digitally signed by: Dariusz Lesniewski
Location: DNV SE, Germany

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to USD 300 000.

Product description

STB: Safety Temperature Limiter
 STW: Safety Temperature Monitor

Type	701150: JUMO safetyM STB/STW 701155: JUMO safetyM STB/STW Ex
Power supply	110 ... 240 V AC 20 ... 30 V AC/DC
Inputs	2x analogue (Pt100 / Pt1000 2- or 3-wire, thermocouple, 0/4...20mA) 1x digital
Outputs	2x c/o contacts (Pre-alarm / Alarm)
Mounting	Rail
HMI	Display: monochrome with back-light (96x64 Dots) SMD-LED's: 1x green, 2yellow, 2x red Operation: 4-time operator keys: Pgm (P), Down, Up, R (Reset)
Electrical connection	On the front via screw terminals up to 2.5 mm ²
Housing	Polycarbonate Flammability class: UL94 V0

Place of manufacture

JUMO GmbH & Co. KG
 Moritz-Juchheim-Strasse 1
 36039 Fulda, Germany

Application/Limitation

The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV RU SHIP Pt.4 Ch.9 Sec. 1.

Ex-certification is not covered by this certificate. Applications in hazardous areas are to be approved in each case according to the Rules and Ex-Certification/ Special Condition for Safe Use listed in valid Ex-Certificates issued by a notified/recognized Certification Body – see:

IECEX TUN 15.0036X, Issue 0, 2021-11-29

EC-Type Examination Certificate TÜV 11 ATEX 556139 X, Issue 00, 2021-10-12

Eurofins Type Examination Certificate SEV 17 ATEX 0161 X, Issue 000, 2018-05-31.

Product certificate

If specified in the Rules, Pt.4 Ch.9 Sec.1, the control and monitoring system in which the above listed hardware is used shall be delivered with a product certificate. For each such delivery the certification test is to be performed at the manufacturer of the application system before the system is shipped to the yard. The test shall be done according to an approved test program. After the certification the clause for application software control will be put into force.

Clause for application software control

All changes in software are to be recorded as long as the system is in use on board. The records of all changes are to be forwarded to DNV for evaluation and approval. Major changes in the software are to be approved before being installed in the computer.

Type Approval documentation

GL-Baumusterprüfung Prüfplan-Umweltprüfungen, Referenzliste (13.05.2012)

GL-Baumusterprüfplan STB Typenreihe 701150/701155 (29.01.2012)

JUMO Test Protocol K/E70.2785 (05.05.2017)

Data sheet 701150, 70115000T10Z004K000 (V2.00/EN/00540116)

Operating Manual 701150, 70115000T90Z004K000 (V4.00/EN/00564764)

Data sheet 701155, 70115500T10Z001K000 (V3.00/EN/00542385)

Operating Manual 701555, 70115500T10Z001K000 (V3.00/EN/00542382)

Document Change Overview STB/STW 701150/701155 (DNVGL-TAA000017J), vers.04, dated 2023-03-21

Additional EMC Test Report, JUMO testlab EW-4169.61000-4-3.STB/STW.1.0, dated 2021-09-21

IECEX TUN 15.0036X, Issue 0, 2021-11-29; EC-Type Examination Certificate TÜV 11 ATEX 556139 X, Issue 00, 2021-10-12; Eurofins Type Examination Certificate SEV 17 ATEX 0161 X, Issue 000, 2018-05-31.

Type Approval Assessment Report issued 2022-03-30.

Modification of the certificate, July 2025

Document Change Overview STB/STW 701150/701155 (DNVGL-TAA000017J), vers.05, dated 2025-05-23

Einflussanalyse Doc. No. 70115000C84Z012K000, 2025-03-26 and Doc.No.70115000C84Z010K100, 2024-06-14

Referenz Bezeichnung Prüfprotokoll

Tests carried out

Applicable tests according to Class Guideline DNV-CG-0339, Edition August 2021.

Marking of product

The products to be marked with:

- manufacturer name
- serial number
- type 701150 or 701155

Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE