



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

E-mail : explosives@explosives.gov.in
Phone/Fax No : 0712 -2510248, Fax-2510577

Approval No : A/P/HQ/KA/104/5884 (P512754)

Dated : 06/08/2021

To,

M/s. ABB Automation Products GmbH,
Dransfelder Straße 2 Gottingen D37079 Germany, Dransfelder Straße 2
D37079
GERMANY

Sub : Approval of Flame Proof, Intrinsically Safe, Incr under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. **OIN783086** dated **19/07/2021** on the subject.

The following Ex electrical equipment(s) manufactured by you according to **EN 60079-0: 2018, EN 60079-1 : 2014, EN 60079-11 : 2012, EN 60079-18: 2015 +A1: 2017, EN 60079-31 : 2014, EN 60079-7: 2015+A1: 2018,** standards and covered under **FM** Test reports mentioned below is/are approved for use in **Zone 1, Zone 2** of Gas **IIC** hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	FMT430A3 - Integral flowmeter	II 1/2 G Ex db eb ia mb IIC T6...T1 Gb/Ga	P512754/1	FM	FM19ATEX0177X	21/08/2020	As Per Report
2	FMT430A3 - Remote sensor	II 1/2 G Ex eb ia ib mb IIC T6...T1 Gb/Ga	P512754/2	FM	FM19ATEX0177X	21/08/2020	As Per Report
3	FMT432A1 - Transmitter only	II 2 G Ex db ia IIB + H2 T6 Gb	P512754/3	FM	FM19ATEX0177X	21/08/2020	As Per Report
4	FMT450A3 - Remote sensor	II 1/2 G Ex eb ia ib mb IIC T6...T1 Gb/Ga	P512754/4	FM	FM19ATEX0177X	21/08/2020	As Per Report
5	FMT450A3 - Integral flowmeter	II 1/2 G Ex db eb ia mb IIC	P512754/5	FM	FM19ATEX0177X	21/08/2020	As Per Report

		T6...T1 Gb/Ga					
6	FMT452A1 - Transmitter only	II 2 G Ex db ia IIB + H2 T6 Gb	P512754/6	FM	FM19ATEX0177X	21/08/2020	As Per Report

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the FM Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified.
 - (c) Number & date of the test report of the FM applicable to the equipment.
 - (d) Equipment reference number of this letter by which use of apparatus is approved.
 - (e) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the FM Test report and is identical with the one tested and certified at FM shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by FM in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.
- 6) The After sales service and maintenance of subject equipment shall be looked after by your representative ABB India Limited, ABB India Limited -PAMA Plot No 5 & 6 , 2nd Phase, Peenya Industrial Area, Bangalore - 560058

This approval also covers the permissible variations as approved under the FM test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.

The Approval is Valid upto **31/12/2025**

Yours faithfully,

(K Srinivasa Rao)
Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, South Circle Office, CHENNAI
2. ABB India Limited, ABB India Limited -PAMA Plot No 5 & 6 , 2nd Phase, Peenya Industrial Area, Bangalore - 560058

for Chief Controller of Explosives
Nagpur

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

This is System Generated document. Signature is not required.

available for the information of concerned applicant/licensee only. All efforts have been made to secure this information. However, PESO will not be responsible for any misuse of the information by unauthorized persons including the hackers.